


FG-4200F/-DC and FG-4201F/-DC



Highlights

Gartner Magic Quadrant Leader for both Network Firewalls and SD-WAN.

Security-Driven Networking FortiOS delivers converged networking and security.

Unparalleled Performance with Fortinet's patented / SPU / vSPU processors.

Enterprise Security with consolidated AI / ML-powered FortiGuard Services.

Hyperscale Security to secure any edge at any scale.

High Performance with Flexibility

The FortiGate 4200F Series enables organizations to build security-driven networks that can weave security deep into their datacenter and across their hybrid IT architecture to protect any edge at any scale.

Powered by a rich set of AI/ML-based FortiGuard Services and an integrated security fabric platform, the FortiGate 4200F Series delivers coordinated, automated, end-to-end threat protection across all use cases.

The industry's first integrated Zero Trust Network Access (ZTNA) enforcement within an NGFW solution, FortiGate 4200F automatically controls, verifies, and facilitates user access to applications delivering consistent convergence with a seamless user experience.

IPS	NGFW	Threat Protection	Interfaces
52 Gbps	47 Gbps	45 Gbps	Multiple GE RJ45, 25 GE SFP28 / 10 GE SFP+ / GE SFP and 100 GE QSFP28 / 40 GE QSFP+ slots DC Variants



Available in



Appliance



Virtual





Cloud



Container

FortiOS Everywhere

FortiOS, Fortinet's Advanced Operating System

FortiOS enables the convergence of high performing networking and security across the Fortinet Security Fabric. Because it can be deployed anywhere, it delivers consistent and context-aware security posture across network, endpoint, and multi-cloud environments.

FortiOS powers all FortiGate deployments whether a physical or virtual device, as a container, or as a cloud service. This universal deployment model enables the consolidation of many technologies and use cases into a simplified, single policy and management framework. Its organically built best-of-breed capabilities, unified operating system, and ultra-scalability allows organizations to protect all edges, simplify operations, and run their business without compromising performance or protection.

FortiOS dramatically expands the Fortinet Security Fabric's ability to deliver advanced Al/ ML-powered services, inline advanced sandbox detection, integrated ZTNA enforcement, and more, provides protection across hybrid deployment models for hardware, software, and Software-as-a-Service with SASE.

FortiOS expands visibility and control, ensures the consistent deployment and enforcement of security policies, and enables centralized management across large-scale networks with the following key attributes:

- Interactive drill-down and topology viewers that display real-time status
- On-click remediation that provides accurate and quick protection against threats and abuses
- Unique threat score system correlates weighted threats with users to prioritize investigations



Intuitive easy to use view into the network and endpoint vulnerabilities



Visibility with FOS Application Signatures

FortiConverter Service

FortiConverter Service provides hassle-free migration to help organizations transition from a wide range of legacy firewalls to FortiGate Next-Generation Firewalls quickly and easily. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.



FortiGuard Services

Network and File Security

Services provide protection against network-based and file-based threats. This consists of Intrusion Prevention (IPS) which uses AI/M models to perform deep packet/SSL inspection to detect and stop malicious content, and apply virtual patching when a new vulnerability is discovered. It also includes Anti-Malware for defense against known and unknown file-based threats. Anti-malware services span both antivirus and file sandboxing to provide multilayered protection and are enhanced in real-time with threat intelligence from FortiGuard Labs. Application Control enhances security compliance and offers real-time application visibility.

Web / DNS Security

Services provide protection against web-based threats including DNS-based threats, malicious URLs (including even in emails), and botnet/command and control communications. DNS filtering provides full visibility into DNS traffic while blocking high-risk domains, and protects against DNS tunneling, DNS infiltration, C2 server ID and Domain Generation Algorithms (DGA). URL filtering leverages a database of 300M+ URLs to identify and block links to malicious sites and payloads. IP Reputation and anti-botnet services prevent botnet communications, and block DDoS attacks from known sources.

SaaS and Data Security

Services address numerous security use cases across application usage as well as overall data security. This consists of Data Leak Prevention (DLP) which ensures data visibility, management and protection (including blocking exfiltration) across networks, clouds, and users, while simplifying compliance and privacy implementations. Separately, our Inline Cloud Access Security Broker (CASB) service protects data in motion, at rest, and in the cloud. The service enforces major compliance standards and manages account, user and cloud application usage. Services also include capabilities designed to continually assess your infrastructure, validate that configurations are working effectively and secure, and generate awareness of risks and vulnerabilities that could impact business operations. This includes coverage across IoT devices for both IoT detection and IoT vulnerability correlation.

Zero-Day Threat Prevention

Zero-day threat prevention entails Fortinet's AI-based inline malware prevention, our most advanced sandbox service, to analyze and block unknown files in real-time, offering subsecond protection against zero-day and sophisticated threats across all NGFWs. The service also has a built-in MITRE ATT&CK® matrix to accelerate investigations. The service focuses on comprehensive defense by blocking unknown threats while streamlining incident response efforts and reducing security overhead.

OT Security

The service provides OT detection, OT vulnerability correlation, virtual patching, OT signatures, and industry-specific protocol decoders for overall robust defense of OT environments and devices.



Secure Any Edge at Any Scale

Powered by Security Processing Unit (SPU)

Traditional firewalls cannot protect against today's content- and connection-based threats because they rely on off-the-shelf hardware and general-purpose CPUs, causing a dangerous performance gap. Fortinet's custom SPU processors deliver the power you need—up to 520Gbps—to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.

ASIC Advantage



Network Processor 7 NP7

Network Processors operate inline to deliver unmatched performance and scalability for critical network functions. Fortinet's breakthrough SPU NP7 network processor works in line with FortiOS functions to deliver:

- Hyperscale firewall, accelerated session setup, and ultra-low latency
- Industry-leading performance for VPN, VXLAN termination, hardware logging, and elephant flows



Content Processor 9 CP9

Content Processors act as co-processors to offload resource-intensive processing of security functions. The ninth generation of the Fortinet Content Processor, the CP9, accelerates resource-intensive SSL (including TLS 1.3) decryption and security functions while delivering:

- Pattern matching acceleration and fast inspection of real-time traffic for application identification
- IPS pre-scan/pre-match, signature correlation offload, and accelerated antivirus processing



FortiCare Services

Fortinet is dedicated to helping our customers succeed, and every year FortiCare Services help thousands of organizations get the most from our Fortinet Security Fabric solution. Our lifecycle portfolio offers Design, Deploy, Operate, Optimize, and Evolve services. Operate services offer device-level FortiCare Elite service with enhanced SLAs to meet our customer's operational and availability needs. In addition, our customized account-level services provide rapid incident resolution and offer proactive care to maximize the security and performance of Fortinet deployments.



Use Cases

Next Generation Firewall (NGFW)

- FortiGuard Labs' suite of Al-powered Security Services—natively integrated with your NGFW—secures web, content, and devices and protects networks from ransomware and sophisticated cyberattacks
- Real-time SSL inspection (including TLS 1.3) provides full visibility into users, devices, and applications across the attack surface
- Fortinet's patented SPU (Security Processing Unit) technology provides industry-leading high-performance protection



Segmentation

- Dynamic segmentation adapts to any network topology to deliver true end-to-end security—from the branch to the datacenter and across multi-cloud environments
- Ultra-scalable, low latency, VXLAN segmentation bridges physical and virtual domains with Layer 4 firewall rules
- Prevents lateral movement across the network with advanced, coordinated protection from FortiGuard Security Services detects and prevents known, zero-day, and unknown attacks



Secure SD-WAN

- FortiGate WAN Edge powered by one OS and unified security and management framework and systems transforms and secures WANs
- Delivers superior quality of experience and effective security posture for work-from-any where models, SD-Branch, and cloud-first WAN use cases
- Achieve operational efficiencies at any scale through automation, deep analytics, and self-healing



HyperScale


- Purpose-built SPUs power FortiOS to consolidate networking and security and deliver ultra-scalable Security-Driven Networks
- Unparalleled ultra-high performance offers the industry's highest number of connections and connections per second performance combined with security-enabled performance to safeguard business-critical applications
- Hardware assisted anti-DDoS prevents volumetric attacks and delivers strong security posture



Mobile Security for 4G, 5G, and IoT

- SPU-accelerated, high performance CGNAT and IPv6 migration options, including: NAT44, NAT444, NAT64/ DNS64, NAT46 for 4G Gi/sGi, and 5G N6 connectivity and security
- RAN Access Security with highly scalable and highest-performing IPsec aggregation and control Security Gateway (SecGW)
- User plane security enabled by full threat protection and visibility into GTP-U inspection

Datacenter Deployment (NGFW, IPS, Segmentation)



Hardware

FortiGate 4200F Series


SSD1 🕀 SSD2

000<u>0</u> 000<u>8</u>

000000000

-


 FAN



Interfaces

- 1. 1 x USB Management and Console Port
- 2. 2 x GE RJ45 Management Ports
- 3. 2 × 25 GE SFP28/ 10 GE SFP+/ GE SFP High Availability Slots
- 4. 2 × 25 GE SFP28/ 10 GE SFP+/ GE SFP Slots
- 5. 16 × 25 GE SFP28/ 10 GE SFP+/ GE SFP Slots
- 6. 8 × 100 GE QSFP28/ 40 GE QSFP+ Slots

Hardware Features



Hyperscale Firewall License

FAN2

6

This perpetual license empowers organizations by unlocking further performance boosts. The Hyperscale Firewall License enables the hardware acceleration of CGNAT features by utilizing Fortinet's patented SPU NP7. These features include hardware session setup, firewall session logging, and NAT.

8 + +

Trusted Platform Module (TPM)

The FortiGate 4200F Series features a dedicated module that hardens physical networking appliances by generating, storing, and authenticating cryptographic keys. Hardware-based security mechanisms protect against malicious software and phishing attacks.

100 GE Connectivity for Network

High-speed connectivity is essential for network security segmentation at the core of data networks. The FortiGate 4200F series provides multiple 100 GE QSFP28 slots, simplifying network designs without relying on additional devices to bridge desired connectivity.

Specifications

Interfaces and ModulesHardware Accelerated 100 GE QSFP28 / 40 GE QSFP+ Slots8Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ / GE SFP Blots2Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ / GE SFP Also2GE RJ45 Management Ports2USB Port1Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers22 GE SPP 20 / (SR 10 GE)System Performance — Enterprise Traffic Mix2IPS Throughput 252 GEpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and Capacity1IPv4 Firewall Throughput 1800 / 788 / 400 GbpsFirewall Throughput 1800 / 788 / 400 GbpsFirewall Throughput 1800 / 788 / 400 GbpsFirewall Throughput 1800 / 788 / 400 GbpsGateway-to-Gateway IPsec VPN Tunnels400 G00IPsec VPN Throughput (12 byte)210 Million / 50 Million*New Sesions/Second (TCP)1 Million / 7 Million*Firewall Throughput16 GbpsConcurrent Sesions (TCP)10 Million / 20 GipsSLI-Nepection Throughput30 GipcSLI-Nepection Throughput30 GipcSLI-Nepection Throughput30 GipcSLI-Nepection Throughput30 GipcSLI-Nepection Throughput30 GipcGetaway-to-Gateway IPsec VPN Tunnels30 GipcGetaway-to-Gateway IPsec VPN Tunnel Mode)30 GipcSLI-Nepection Throughput10 / 50 GipsGetaway-Goriol Throughput		FG-4200F/-DC	FG-4201F/-DC		
40 GE QSFP+ SlotsHardware Accelerated 25 GE SFP28 / 10 GE SFP // GE SFP MA Slots2Hardware Accelerated 25 GE SFP28 / 10 GE SFP24 / GE SFP MA Slots2Hardware Accelerated 25 GE SFP28 / 10 GE SFP4 / GE SFP MA Slots2GE RJA5 Management Ports2USB Port1Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic Mix2IPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.445 GbpsSystem Performance and Capacity1IPv4 Firewall Throughput 2.4800 / 788 / 400 GbpsFirewall Throughput 1.4600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*Firewall Policies400 000IPv4 Firewall Policies400 000Gateway-to-Gateway IPsec VPN Tunnels200 GbpsGincurrent Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies30 000SL-VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels30 000SL-Nepsection Throughput16 GbpsSL Inspection CSIC, Surg, MITTPS J34 d00SL Inspection CSIC, Surg, MITTPS J30 GickGreg, Surg, MITTPS J30 GickGreg, Surg, MITTPS J34 d00 <t< th=""><th>Interfaces and Modules</th><th></th><th></th></t<>	Interfaces and Modules				
10 GE SPP+ / GE SPP SlotsHardware Accelerated 25 GE SP28 / 10 GE SPP+ / GE SPP AUX Slots2GE RJ45 Management Ports2USB Port1Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic Mix7IPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.5800 / 788 / 400 GbpsSystem Performance and Capacity9IPv5 Firewall Throughput 1800 / 788 / 400 GbpsFirewall Throughput 1900 / 788 / 400 GbpsFirewall Throughput 1800 / 788 / 400 GbpsGateway-to-Gateway IPsec VPN Tunnels800 / 788 / 400 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000St. Inspection CPS (IPS)314 000St. Inspection CPS (IPS, avg. HTTPS) 334 400St. Inspection CPS (IPS, avg. HTTPS) 334 400St. Inspection CPS (IPS, avg. HTTPS) 334 000St. Inspection CPS (IPS, avg. HTTPS) 334 000 <t< th=""><th></th><th colspan="3">8</th></t<>		8			
10 GE SFP HA SlotsHardware Accelerated 25 GE SFP28 / 10 GE SFP 4/ GE SFP AUS Slots2GE RJ45 Management Ports2USB Port1Console Port1Onboard Storage02 × 2 TB SSDIncluded Transceivers2 x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixIPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.5800 / 788 / 400 GbpsSystem Performance and CapacityIPv6 Firewall Throughput 1.5800 / 788 / 400 GbpsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*Firewall Throughput (S12 byte)'200 000State-ver Gateway IPsec VPN Tunnels400 000Concurrent Sessions (TCP)210 GbpsGetway-to-Gateway IPsec VPN Tunnels200 000SSL Inspection CPIN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (PS, avg. HTTPS)'s34 000SSL Inspection Concurrent Session9 MillionGrecommended Maximum, Tunnel Mode)30 000SSL Inspection Concurrent Session9 MillionGPS, avg. HTTPS)'s34 000Cherrent Session Concurrent Session30 000SSL Inspection Concurrent Session30 000Grecommended Maximum, Tunnel Mode)30 00SSL Inspection Concurrent Session30 00Grecommender Maximum, Tunnel Mode)30 00SSL Inspection Concurrent Session30 00Grecommender Maximum, Tunne		16			
10 GE SFP 4/JX SlotsGE RJ45 Management Ports2USB Port1Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixIPS Throughput 247 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and CapacityIPv4 Firewall Throughput 1.64 byte, UDP)800 / 788 / 400 GbpsFirewall Throughput 2.8800 / 788 / 400 GbpsFirewall Throughput 1.94 byte, UDP)3.02 µsFirewall Throughput 1.94 byte, UDP)3.02 µsGateway-to-Gateway IPsec VPN Tunnels400 000IPv6 Firewall Throughput210 Ghlilion / TMillion*Firewall Policies400 000IPsec VPN Throughput16 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput50 GbpsSSL Inspection Throughput135 GbpsConcurrent SSL-VPN Users9 MillionRecommended Maximum, Tunnel Mode)315 GbpsSSL Inspection Concurrent Session9 MillionSSL Inspection Throughput135 GbpsChaptication Control Throughput13		2			
USB Port1Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixIPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and CapacityIPv6 Firewall Throughput800 / 788 / 400 GbpsIPv6 Firewall Throughput800 / 788 / 400 GbpsFirewall Throughput900 / 788 / 400 GbpsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (PS, avg. HTTPS) 334 000SSL Inspection Chrol Throughput (PS, avg. HTTPS		2			
Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixPreformance — Enterprise Traffic MixIPS Throughput 2.452 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and Capacity800 / 788 / 400 GbpsIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)3.02 µsFirewall Throughput (1518 / 512 / 86 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000Cleant-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput (Packet per Second)30 000Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Chroughput (Packet per Second)30 000SSL Inspection Chroughput (Packet Per Second)30 000SSL Inspection Chroughput (Packet Per Second)30 000SSL Inspection Chroughput16 GbpsConcurrent SSL-VPN Tunnels40 000SSL Inspection Throughput13 GbpsSSL Inspection Chroughput13 GbpsChroughput (PACK PAR AND AND PAR AND	GE RJ45 Management Ports	2			
Included Transceivers02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixIPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and CapacityIPV4 Firewall Throughput800 / 788 / 400 Gbps[PS Throughput 1000)800 / 788 / 400 Gbps[Psiewall Throughput800 / 788 / 400 GbpsFirewall Throughput800 / 788 / 400 GbpsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users30 000SSL Inspection Throughput50 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session9 Million(IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session9 Million(IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session9 Million(IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session9 Million(IP	USB Port	1			
Included Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixIPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and CapacityIPv4 Firewall Throughput (ST2 / 64 byte, UDP)800 / 788 / 400 GbpsIFrewall Throughput (ST2 / 64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000Gateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput50 GbpsSSL-VPN Throughput50 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection CPS (IPS, avg. HTTPS) 334 000Chert Product Throughput10 S GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches300Maximum Number of FortiSkitches20 000Maximum Number of FortiSkitches20 000Maximum Number of FortiSkitches20 000Maximum Number of Registered50 000	Console Port	1			
System Performance — Enterprise Traffic MixIPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and Capacity800 / 788 / 400 GbpsIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsFirewall Throughput (1518 / 512 / 66 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000Gateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput (Sig Maximum, Tunnel Mode)30 GbpsSSL Inspection Concurrent Session31 dou0SSL Inspection Concurrent Session9 Million(IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session9 Million(IPS, avg. HTTPS) 330 OolApplication Control Throughput135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches Supported300Maximum Number of FortiSwitches Supported200 000Maximum Number of FortiSwitches Supported300Maximum Number of FortiSwitches Supported300Maximum Number of FortiSwitches Supported300Maximum Number of FortiSwitches Supported20000Maximum Number of	Onboard Storage	0 2× 2 TB SSD			
IPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and Capacity800 / 788 / 400 GbpsIPv4 Firewall Throughput800 / 788 / 400 GbpsIPv6 Firewall Throughput800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000Gateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Contorl Throughput135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiAPs Supported300Maximum Number of FortiAPs Supported20 000Maximum Number of Registered So 00050 000	Included Transceivers	2x SFP+ (SI	R 10 GE)		
NGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and CapacityIPv4 Firewall Throughput (TST8 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsIPv6 Firewall Throughput (tST8 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-vPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (HTTP 64K)47 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsCAPWAP Throughput (HTTP 64K)412 GbpsCAPWAP Throughput (HTTP 64K)419 CbpsMaximum Number of FortiAPs8192 / 4096Maximum Number of FortiAPs20 000Maximum Number of Registered50 000Maximum Number of Registered50 000	System Performance — Enterprise Traffic Mix	(
Threat Protection Throughput *.545 GbpsSystem Performance and CapacityIPv4 Firewall Throughput800 / 788 / 400 Gbps(1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsFirewall Throughput800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million *Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Chroughput (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiAPs Supported300Maximum Number of FortiAPs Coti / Tunnels20 000Maximum Number of Registered FortiClients50 000	IPS Throughput ²	52 Gb	ips		
System Performance and CapacityIPv4 Firewall Throughput800 / 788 / 400 Gbps(1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsFirewall Throughput800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiAPs Supported300Maximum Number of FortiAPs Coti / Tunnels20 000Maximum Number of Registered S0 00050 000	NGFW Throughput ^{2, 4}	47 Gb	ips		
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsIPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Concurrent Session9 MillionSSL Inspection Concurrent Session9 MillionCAPWAP Throughput (HTTP 64K)47 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiAPs (total / Tunnel)3192 / 4096Maximum Number of Registered FortiClients50 000	Threat Protection Throughput ^{2,5}	45 Gb	ips		
(1518 / 512 / 64 bytě, ÚDP)800 / 788 / 400 GbpsIPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)3.02 µsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Chroughput (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Concurrent Session (IPS, avg. HTTPS) 330 0CAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches Supported300Maximum Number of FortiAPs (Total / Tunnel)8192 / 4096Maximum Number of Registered FortiClients50 000	System Performance and Capacity				
(1518 / 512 / 86 bytě, ÚDP)3.02 µsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million *Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Concurrent Sec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)SSL Inspection Throughput (IPS, avg. HTTPS) 3SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3A4 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3Application Control Throughput (IPS, avg. HTTPS) 3Application Control Throughput (IPS of SolpsCAPWAP Throughput (HTTP 64K)A7 GbpsOutinual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches Supported300300Maximum Number of FortiTokens20 000Maximum Number of FortiTokens20 000Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000		800 / 788 / 400 Gbps			
Firewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K) 2135 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches Supported300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000		800 / 788 / 400 Gbps			
Concurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K) 2135 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Firewall Latency (64 byte, UDP)	3.02 µs			
New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Concurrent Session (IHTTP 64K) 29 MillionCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum) tunper of FortiSwitches supported300Maximum Number of FortiAPs (Total / Tunnel)8192 / 4096Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Firewall Throughput (Packet per Second)	600 Mpps			
Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionCAPWAP Throughput (HTTP 64K) 2135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Concurrent Sessions (TCP)	210 Million / 450 Million*			
IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Concurrent Session (IPS, avg. HTTPS) 39 MillionCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	New Sessions/Second (TCP)	1 Million / 7 Million*			
Gateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Concurrent Session (HTTP 64K) 29 MillionCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Firewall Policies	400 000			
Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Concurrent Session (IPS, avg. HTTPS) 3135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	IPsec VPN Throughput (512 byte) ¹	210 Gbps			
SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K) 2135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Gateway-to-Gateway IPsec VPN Tunnels	40 000			
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K) 2135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Client-to-Gateway IPsec VPN Tunnels	200 000			
(Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, avg. HTTPS) ³ 50 Gbps SSL Inspection CPS (IPS, avg. HTTPS) ³ 34 000 SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³ 9 Million Application Control Throughput (HTTP 64K) ² 135 Gbps CAPWAP Throughput (HTTP 64K) 47 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches Supported 300 Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000	SSL-VPN Throughput	16 Gbps			
(IPS, avg. HTTPS) ³ 34 000 SSL Inspection CPS (IPS, avg. HTTPS) ³ 34 000 SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³ 9 Million Application Control Throughput (HTTP 64K) ² 135 Gbps CAPWAP Throughput (HTTP 64K) 47 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches Supported 300 Maximum Number of FortiAPs (Total / Tunnel) 8192 / 4096 Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000		30 000			
SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³ 9 Million Application Control Throughput (HTTP 64K) ² 135 Gbps CAPWAP Throughput (HTTP 64K) 47 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches supported 300 Maximum Number of FortiAPs (Total / Tunnel) 8192 / 4096 Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000		50 Gbps			
(IPS, avg. HTTPS) ³ Application Control Throughput (HTTP 64K) ² 135 Gbps CAPWAP Throughput (HTTP 64K) 47 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches supported 300 Maximum Number of FortiAPs (Total / Tunnel) 8192 / 4096 Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000	SSL Inspection CPS (IPS, avg. HTTPS) ³	34 000			
(HTTP 64K) ² CAPWAP Throughput (HTTP 64K) 47 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches 300 Maximum Number of FortiAPs 8192 / 4096 (Total / Tunnel) 20 000 Maximum Number of Registered 50 000		9 Million			
Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches 300 Supported 312 / 4096 Maximum Number of FortiTokens 20 000 Maximum Number of Registered 50 000		135 Gbps			
Maximum Number of FortiSwitches300Supported3192 / 4096Maximum Number of FortiAPs8192 / 4096Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	CAPWAP Throughput (HTTP 64K)	47 Gbps			
Supported Maximum Number of FortiAPs (Total / Tunnel) 8192 / 4096 Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000	Virtual Domains (Default / Maximum)	10 / 500			
(Total / Tunnel) Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000		300			
Maximum Number of Registered 50 000 FortiClients		8192 / 4096			
FortiClients	Maximum Number of FortiTokens	20 000			
High Availability Configurations Active-Active, Active-Passive, Clustering		50 000			
	High Availability Configurations	Active-Active, Active-	Passive, Clustering		

Dimensions and Power				
Height x Width x Length (inches)	5.22 × 17.20 × 26.17			
Height x Width x Length (mm)	132.5 × 437 × 664.8			
Weight	59.75 lbs (27.1 kg)	61.07 lbs (27.7 kg)		
Form Factor (supports EIA/non-EIA standards)	Rack Mount, 3 RU			
AC Power Supply	100-240V AC, 50/60 Hz			
AC Current (Maximum)	13.5A@120V, 5.5A@240V			
Power Consumption (Average / Maximum)	931 W / 1291 W	940 W / 1306 W		
DC Power Supply	-48V to -60V DC			
DC Current (Average / Maximum)	20A / 100Apk			
Heat Dissipation	4405 BTU/h	4456 BTU/h		
Redundant Power Supplies	Default 1+1 Redundant, Hot Swappable			
Power Supply Efficiency Rating	80Plus Compliant			
Fan Tray	Hot Swappable			
Operating Environment and Certifications				
Operating Temperature	32°-104°F (0°-40°C)			
Storage Temperature	-31°-158°F (-35°-70°C)			
Humidity	20%-90% non-condensing			
Noise Level	57 dBA			
Forced Airflow	Front to Back			
Operating Altitude	Up to 7400 ft (2250 m)			
Compliance	FCC Part 15 Class A, RCM, VCCI, CE, UL/ cUL, CB			

FG-4200F/-DC

USGv6/IPv6

* Requires Hyperscale Firewall License

Certifications

Note: All performance values are "up to" and vary depending on system configuration.

¹ IPsec VPN performance test uses AES256-SHA256.

 $^{\rm 2}$ IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

 $^{\scriptscriptstyle 3}$ SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

⁴ NGFW performance is measured with Firewall, IPS and Application Control enabled.

⁵ Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

FG-4201F/-DC

Ordering Information

Product	SKU	Description
FortiGate 4200F	FG-4200F	8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2 x GE RJ45 Management Ports,
	FG-4200F	SPU NP7 and CP9 hardware accelerated, 2 AC power supplies.
FortiGate 4201F	FG-4201F	8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2 x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, 2× 2TB storage and 2 AC power supplies.
FortiGate 4200F-DC	FG-4200F-DC	8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2 x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, and 2 DC power supplies.
FortiGate 4201F-DC	FG-4201F-DC	8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2 x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, 2× 2TB storage and 2 DC power supplies.
Hyperscale Firewall License	LIC-FGT-HYPSC	Hyperscale Firewall License for FortiGate FG-4200F/FG4201F Series for hardware session setup acceleration and logging.
Optional Accessories/Spares	SKU	Description
Rack Mount Sliding Rails	SP-FG3040B-RAIL	Rack mount sliding rails for FG-1000C/-DC, FG-1200D, FG-1500D/DC, FG-3040B/-DC, FG- 3140B/-DC, FG-3240C/-DC, FG-3000D/-DC, FG-3100D/-DC, FG-3200D/-DC, FG-3400/3401E, FG-3600E-DC/3601E, FG-3700D/-DC, FG-3700DX, FG-3810D/-DC, FG-3950B/-DC, and FG4200F/4201F.
AC Power Supply	SP-FG4000F-PS	2000W AC power supply for 4000F and 6000F series, does not include SP-FGPCORC15-XX power cord.
AC Power Cord	SP-FGPCORC15-XX	6 ft power cord, 15A125V XXX, PSE BLACK ROHS-6, for FG-3900E, 4000F, 6000F and 7000E/F Series
DC Power Supply	SP-FG4000F-DC-PS	DC power supply for FG-4200F-DC/4201F-DC, FG-4400F-DC/4401F-DC and FG-6000F-DC.
Fan Tray	SP-FG4K6K-FAN	Spare Hotswappable Fan Module for FG-420xF/440xF/6000F.
1 GE SFP LX Transceiver Module	FN-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FN-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP SX Transceiver Module	FN-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
10 GE SFP+ RJ45 Transceiver Module	FN-TRAN-SFP+GC	10 GE SFP+ RJ45 transceiver module for systems with SFP+ slots.
10 GE SFP+ Transceiver Module, Short Range	FN-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FN-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Extended Range	FN-TRAN-SFP+ER	10 GE SFP+ transceiver module, extended range for all systems with SFP+ and SFP/SFP+ slots.
10GE SFP+ Transceiver Module, 30km Long Range	FN-TRAN-SFP+BD27	10GE SFP+ transceiver module, 30km long range single BiDi for systems with SFP+ and SFP/ SFP+ slots (connects to FN-TRAN-SFP+BD33, ordered separately)
10GE SFP+ Transceiver Module, (connects to FN-TRAN- SFP+BD27, ordered separately)	FN-TRAN-SFP+BD33	10GE SFP+ transceiver module, 30km long range single BiDi for systems with SFP+ and SFP/ SFP+ slots (connects to FN-TRAN-SFP+BD27, ordered separately)
10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.
25 GE SFP28 Transceiver Module, Short Range	FN-TRAN-SFP28-SR	25 GE SFP28 transceiver module, short range for all systems with SFP28 slots.
25 GE SFP28 Transceiver Module, Long Range	FG-TRAN-SFP28-LR	25 GE SFP28 transceiver module, long range for all systems with SFP28 slots.
40 GE QSFP+ Transceiver Module, Short Range	FN-TRAN-QSFP+SR	40 GE QSFP+ transceiver module, short range for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, Short Range BiDi	FG-TRAN-QSFP+SR-BIDI	40 GE QSFP+ transceiver module, short range BiDi for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, Long Range	FN-TRAN-QSFP+LR	40 GE QSFP+ transceiver module, long range for all systems with QSFP+ slots.
100 GE QSFP28 Transceiver Module, Short Range	FN-TRAN-QSFP28-SR	100 GE QSFP28 transceivers, 4 channel parallel fiber, short range for all systems with QSFP28 slots.
100 GE QSFP28 Transceiver Module, Long Range	FN-TRAN-QSFP28-LR	100 GE QSFP28 transceivers, 4 channel parallel fiber, long range for all systems with QSFP28 slots.
100 GE QSFP28 Transceiver Module, CWDM4	FN-TRAN-QSFP28-CWDM4	100 GE QSFP28 transceivers, LC connectors, 2KM for all systems with QSFP28 slots.
100 GE QSFP28 BIDI Transceiver Module	FN-TRAN-QSFP28-BIDI	100 GE QSFP28 BIDI transceiver module, 100m MMF LC connector, for systems with QSFP28 slots.

Subscriptions

			Bundles			
Service Category	Service Offering	A-la-carte	Enterprise Protection	Unified Threat Protection	Advanced Threat Protection	
FortiGuard Security Services	IPS Service	•	•	•	•	
	Anti-Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	٠	
	URL, DNS & Video Filtering Service	•	•	•		
	Anti-Spam		•	•		
	AI-based Inline Malware Prevention Service	•	٠			
	Data Loss Prevention Service ¹	•	•			
	OT Security Service (OT Detection, OT Vulnerability correlation, Virtual Patching, OT Signature / Protocol Decoders) ¹	•				
	Application Control		included with FortiCare Subscription			
	CASB SaaS Control		included with FortiCare Subscription			
SD-WAN and SASE Services	SD-WAN Underlay Bandwidth and Quality Monitoring Service	•				
	SD-WAN Overlay-as-a-Service for SaaS-based overlay network provisioning	•				
	SD-WAN Connector for FortiSASE Secure Private Access	•				
	FortiSASE subscription including cloud management and 10Mbps bandwidth license ²	•				
NOC and SOC Services	FortiGuard Attack Surface Security Service (IoT Detection, IoT Vulnerability Correlation, and Security Rating Updates) ¹	•	•			
	FortiConverter Service	•	•			
	Managed FortiGate Service	•				
	FortiGate Cloud (SMB Logging + Cloud Management)	•				
	FortiAnalyzer Cloud	•				
	FortiAnalyzer Cloud with SOCaaS	•				
	FortiGuard SOCaaS	•				
Hardware and Software Support	FortiCare Essentials	•				
	FortiCare Premium	•	•	•	•	
	FortiCare Elite	•				
Base Services	Internet Service (SaaS) DB Updates					
	GeoIP DB Updates		included with FortiCare Subscription			
	Device/OS Detection Signatures					
	Trusted Certificate DB Updates					
	DDNS (v4/v6) Service					

1. Full features available when running FortiOS 7.4.1 2. Desktop Models only



FortiGuard Bundles


FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

FortiCare Elite

FortiCare Elite offers enhanced SLAs and quick issue resolution through a dedicated support team. It provides single-touch ticket handling, extended Extended End-of-Engineering-Support for 18 months, and access to the new FortiCare Elite Portal for a unified view of device and security health.

Fortinet CSR Policy

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.



F: RTINET.

www.fortinet.com

Copyright © 2023 Fortinet, Inc. All rights reserved. Fortinet*, FortiGate*, Fo